

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3720	709/225.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L6	74	(master same slave same switch\$3) and (blue\$1tooth or (blue adj tooth)) and ((communication or connection or session) near4 request) and printer	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L7	40	L6 and (@ad<"20030224" or @rlad<"20030224")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L8	242	(master same slave same switch\$3) and ((communication or connection or session) near4 request) and printer	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L9	192	L8 and (@ad<"20030224" or @rlad<"20030224")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L10	152	L9 not L7	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L11	128	(master same slave same switch\$3 same printer)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L12	106	L11 and (@ad<"20030224" or @rlad<"20030224")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L13	3	"10061155"	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L14	1	"20020105678".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35

L15	546	(master with slave with printer)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L16	409	L15 and (@ad<"20030224" or @rlad<"20030224")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L17	50	(master with slave with printer) same request	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L18	30	L17 and (@ad<"20030224" or @rlad<"20030224")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L19	1362	(master same slave same printer)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L20	337	L19 and (blue\$1tooth or (blue adj tooth))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L21	5	L20 and (OBEX same profile)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L22	3	L21 and (@ad<"20030224" or @rlad<"20030224")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L23	1	L20 and (BPP same BIP same profile)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L24	1	L20 and (BPP same BIP)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L25	9	L20 and (BPP or BIP)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L26	1	L25 and (@ad<"20030224" or @rlad<"20030224")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35

L27	2	L20 and (HCRP)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L28	0	L27 and (@ad<"20030224" or @rlad<"20030224")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L29	15	printer same (blue\$1tooth or (blue adj tooth)) and (HCRP)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L30	0	L29 and (@ad<"20030224" or @rlad<"20030224")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L31	20	printer and (blue\$1tooth or (blue adj tooth)) and (HCRP)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L32	1	L31 and (@ad<"20030224" or @rlad<"20030224")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L33	24	(multiple near10 request near10 printer) same (buffer or queue)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L34	22	L33 and (@ad<"20030224" or @rlad<"20030224")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L35	0	L34 and (delay\$5 near10 response)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L36	59	printer same (request near10 (size near2 data))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L37	38	L36 and (@ad<"20030224" or @rlad<"20030224")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L38	159	printer same (credit near2 value)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35

L39	94	L38 and (@ad<"20030224" or @rlad<"20030224")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L40	1	printer same (credit near2 value) same size same data	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L41	671	printer same (request near10 availab\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L42	8	printer same (request near10 availab\$5 near10 space)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L43	5	L42 and (@ad<"20030224" or @rlad<"20030224")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L44	12	printer same (request near10 availab\$5 near10 capacity)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L45	4	L44 and (@ad<"20030224" or @rlad<"20030224")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L47	74	(master same slave same switch\$3) and (blue\$1tooth or (blue adj tooth)) and ((communication or connection or session) near4 request) and printer	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L48	40	L47 and (@ad<"20030224" or @rlad<"20030224")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L49	242	(master same slave same switch\$3) and ((communication or connection or session) near4 request) and printer	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L50	192	L49 and (@ad<"20030224" or @rlad<"20030224")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L51	152	L50 not L48	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35

L52	128	(master same slave same switch\$3 same printer)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L53	106	L52 and (@ad<"20030224" or @rlad<"20030224")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L54	3	"10061155"	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L55	1	"20020105678".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L56	546	(master with slave with printer)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L57	409	L56 and (@ad<"20030224" or @rlad<"20030224")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L58	50	(master with slave with printer) same request	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L59	30	L58 and (@ad<"20030224" or @rlad<"20030224")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L60	1362	(master same slave same printer)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L61	337	L60 and (blue\$1tooth or (blue adj tooth))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L62	5	L61 and (OBEX same profile)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L63	3	L62 and (@ad<"20030224" or @rlad<"20030224")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35

L64	1	L61 and (BPP same BIP same profile)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L65	1	L61 and (BPP same BIP)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L66	9	L61 and (BPP or BIP)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L67	1	L66 and (@ad<"20030224" or @rlad<"20030224")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L68	2	L61 and (HCRP)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L69	0	L68 and (@ad<"20030224" or @rlad<"20030224")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L70	15	printer same (blue\$1tooth or (blue adj tooth)) and (HCRP)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L71	0	L70 and (@ad<"20030224" or @rlad<"20030224")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L72	20	printer and (blue\$1tooth or (blue adj tooth)) and (HCRP)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L73	1	L72 and (@ad<"20030224" or @rlad<"20030224")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L74	24	(multiple near10 request near10 printer) same (buffer or queue)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L75	22	L74 and (@ad<"20030224" or @rlad<"20030224")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35

L76	0	L75 and (delay\$5 near10 response)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L77	59	printer same (request near10 (size near2 data))	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L78	38	L77 and (@ad<"20030224" or @rlad<"20030224")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L79	159	printer same (credit near2 value)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L80	94	L79 and (@ad<"20030224" or @rlad<"20030224")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L81	1	printer same (credit near2 value) same size same data	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L82	671	printer same (request near10 availab\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L83	8	printer same (request near10 availab\$5 near10 space)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L84	5	L83 and (@ad<"20030224" or @rlad<"20030224")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L85	12	printer same (request near10 availab\$5 near10 capacity)	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35
L86	4	L85 and (@ad<"20030224" or @rlad<"20030224")	US-PGPUB; USPAT; FPRS; EPO; JPO; IBM_TDB	ADJ	ON	2009/01/08 16:35

1/ 8/ 2009 4:36:48 PM

C:\Documents and Settings\vkkrishnan\My Documents\EAST\Workspaces\2003-02-24-10783026.wsp